


MCA CRAM, S.L.

C. Sant Carles, 37. Baixos • 08922 SANTA COLOMA DE GRAMANET • Tel. 93 466 29 75 • Fax 93 386 68 99

CIZALLAS CIRCULARES CIRCULAR CUTTING SHEERS




1005

1001, 1002 y 1005 SON UNA EXCLUSIVA DE MCA CRAM, S.L.



1005



sistema hidráulico opcional / optional hydraulic clutch

ESPECIFICACIONES 1005

- Construcción en acero
- Centrador neumático
- Cuchillas especiales
- Carro motorizado
- Panel de control móvil

SPECIFICATIONS 1005


- Steel welded construction
- Pneumatic clamps on center
- Special steel blades with angle
- Both blades with bronze bushings and powered
- Mobile control panel

ACCESORIOS OPCIONALES

- Digital diámetro
- Sistema hidráulico


OPTIONAL ACCESSOIRES

- Digital read-out diameter
- Hydraulic clutch




1005

AM, S.L.



1002

STILCRA



1001

ESPECIFICACIONES 1001 - 1002

- Diámetro interior - diámetro exterior cizalla circular
- Construidas en acero
- Cuchillas en acero especial
- Pedal (1002)
- Normas CE

SPECIFICATIONS 1001 - 1002

- Inside diameter - outside diameter circular cutting
- Steel construction
- Special steel blades
- Foot pedal (1002)
- Suitable for CE norms

CARACTERÍSTICAS TÉCNICAS / TECHNICAL DATA

MODELO / TYPE / TYP			1001	1002	1005
Diámetro	Diameter	mm	1000	1000	1600
Capacidad corte	Cutting capacity	mm	1	2	5
Velocidad	Speed	m/min	-	7,5	3
Potencia motor	Motor power	Kw	-	1,5	2,2
Longitud	Length	mm	1200	1400	2400
Ancho	Width	mm	200	400	600
Altura	Height	mm	350	1200	1500
Peso	Weight	Kg	45	300	1200